Author Index

Adams, P., Nelson, D. E., Yamada, S., Chmara, W., Jensen, R. G., Bohnert, H. J. & Griffiths, H., Tansley Review No. 97. Growth and development of *Mesembryanthemum crystallinum* (Aizoaceae), 171

Allen, M. F. (see Klironomos, J. N.), 599

Aloni, R. (see Kalev, N.), 461

Alonso, R. (see Elvira, S.), 419

Anderson, I. C., Chambers, S. M. & Cairney, J. W. G., Molecular determination of genetic variation in *Pisolithus* isolates from a defined region in New South Wales, Australia, 151

Ashmore, M. R. (see Power, S. A.), 663

Azcón, R. (see Toro, M.), 265

Azcón-G.-Aguilar, R., Handley, L. L. & Scrimgeour, C. M., The $\delta^{15}N$ of lettuce and barley are affected by AM status and external concentration of N, 19

Azkue, M. (see Fernández, M. D.), 689

Barbo, D. N., Chappelka, A. H., Somers, G. L., Miller-Goodman, M. S. & Stolte, K., Diversity of an early successional plant community as influenced by ozone, 653

Barea, J. M. (see Toro, M.), 265

Barnes, J. D. (see Lyons, T. M.), 83

Barthlott, W. (see Neinhuis, C.), 91

Bécard, G. (see Douds, Jr. D. D.), 27

Bezdek, M. (see Kingham, K. I.), 567

Blaudez, D., Chalot, M., Dizengremel, P. & Botton, B., Structure and function of the ectomycorrhizal association between *Paxillus involutus* and *Betula pendula*. II. Metabolic changes during mycorrhiza formation, 543

Boddy, L. (see Donnelly, D. P.), 519

——, (see Wells, J. M.), 607

Bohnert, H. J. (see Adams, P.), 171

Boller, T. (see Schellenbaum, L.), 59

——, (see Mohr, U.), 589

Bonello, P., Bruns, T. D. & Gardes, M., Genetic structure of a natural population of the ectomycorrhizal fungus *Suillus pungens*, 533

Botton, B. (see Blaudez, D.), 543

——, (see Chillali, M.), 553

Boucaud, J. (see Faure, S.), 411

Brenac, V. (see Tisserant, B.), 225

Broadmeadow, M. (see Crookshanks, M.), 241

Bruns, T. D. (see Bonello, P.), 533

Buscot, F. (see Herrmann, S.), 203

Bussotti, F., Gravano, E., Grossoni, P. & Tani, C., Occurrence of tannins in leaves of beech trees (*Fagus sylvatica*) along an ecological gradient, detected by histochemical and ultrastructural analyses, 469

Cairney, J. W. G. (see Anderson, I. C.), 151

Cape, J. N. (see Sheppard, L. J.), 709

Castillo, F. J. (see Elvira, S.), 419

Cavell, A. (see Ryan, E.), 49

Chalot, M. (see Blaudez, D.), 543

Chambers, S. M. (see Anderson, I. C.), 151

Chappelka, A. H. (see Barbo, D. N.), 653

Chillali, M., Wipf, D., Guillaumin, J.-J., Mohammed, C. & Botton, B., Delineation of the European *Armillaria* species based on the sequences of the internal transcribed spacer (ITS) of ribosomal DNA, 553

Chmara, W. (see Adams, P.), 171

Clarke, R. T. (see Raybould, A. F.), 497

Cliquet, J.-B. (see Faure, S.), 411

Clough, E. C. M. (see Pearson, J.), 37

Corpas, F. J., Sandalio, L. M., del Río, L. A. & Trelease, R. N., Copper–zinc superoxide dismutase is a constituent enzyme of the matrix of peroxisomes in the cotyledons of oilseed plants, 307

Cousins, D. A. (see Power, S. A.), 663

Crookshanks, M., Taylor, G. & Broadmeadow, M., Elevated CO_2 and tree root growth: contrasting responses in *Fraxinus excelsior*, *Quercus petraea* and *Pinus sylvestris*, 241

de Boer, W., Klein Gunnewiek, P. J. A. & Woldendorp, J. W., Suppression of hyphal growth of soil-borne fungi by dune soils from vigorous and declining stands of *Ammophila arenaria*, 107

de Jong, T. J., Roo, L. G.-D. & Klinkhamer, P. G. L., Is the threshold size for flowering in *Cynoglossum officinale* fixed or dependent on environment?, 489

del Río, L. A. (see Corpas, F. J.), 307

Dietz, K.-J. (see Peuke, A. D.), 675

Dietz, S. & Hartung, W., Abscisic acid in lichens: variation, water relations and metabolism, 99

Dizengremel, P. (see Blaudez, D.), 543

Dodd, J. C. (see Tisserant, B.), 225

Dodd, R. S., Rafii, Z. A. & Power, A. B., Ecotypic adaptation in *Austrocedrus chilensis* in cuticular hydrocarbon composition, 699

Dolan, L. (see Ryan, E.), 49

Donnelly, D. P. & Boddy, L., Developmental and morphological responses of mycelial systems of *Stropharia caerulea* and *Phanerochaete velutina* to soil nutrient enrichment, 519

——, (see Wells, J. M.), 607

Donoso, C. (see Fernández, M. D.), 689

Douds, Jr. D. D., Galvez, L., Bécard, G. & Kapulnik, Y., Regulation of arbuscular mycorrhizal development by plant host and fungus species in alfalfa, 27

Dubrovsky, J. G., North, G. B. & Nobel, P. S., Root growth, developmental changes in the apex, and hydraulic conductivity for *Opuntia ficus-indica* during drought, 75

Duckett, J. G. (see Kingham, K. I.), 567

Ekblad, A., Wallander, H. & Näsholm, T., Chitin and ergosterol combined to measure total and living fungal biomass in ectomycorrhizas, 143

Elvira, S., Alonso, R., Castillo, F. J. & Gimeno, B. S., On the response of pigments and antioxidants of *Pinus halepensis* seedlings to Mediterranean climatic factors and long-term ozone exposure, 419

Faure, S., Cliquet, J.-B., Thephany, G. & Boucaud, J., Nitrogen assimilation in *Lolium perenne* colonized by the arbuscular mycorrhizal fungus *Glomus fasciculatum*, 411

Fernández, M. D., Pieters, A., Donoso, C., Tezara, W., Azkue, M., Herrera, C., Rengifo, E. & Herrera, A., Effects of a natural source of very high CO_2 concentration on the leaf gas exchange, xylem water potential and stomatal characteristics of plants of *Spatiphylum cannifolium* and *Bauhinia multinervia*, 689

Fitter, A. (see Merryweather, J.), 117, 131

Führer, C. (see Schmidt, W.), 639

Galvez, L. (see Douds, Jr. D. D.), 27

Gardes, M. (see Bonello, P.), 533

Gazdova, B. (see Kingham, K. I.), 567

Gaździński, S. (see Haranczyk, H.), 191

Geßler, A., Schneider, S., von Sengbusch, D., Weber, P., Hanemann, U., Huber, C., Rothe, A., Kreutzer, K. & Rennenberg, H., Field and laboratory experiments on net uptake of nitrate and ammonium by the roots of spruce (*Picea abies*) and beech (*Fagus sylvatica*) trees, 275

Geßler, A., Schneider, S., Weber, P., Hanemann, U. & Rennenberg, H., Soluble N compounds in trees exposed to high loads of N: a comparison between the roots of Norway spruce (*Picea abies*) and beech (*Fagus sylvatica*) trees grown under field conditions, 385

Gilligan, C. A. (see Otten, W.), 629

Gillon, J. (see Smith, E. C.), 213

Gimeno, B. S. (see Elvira, S.), 419

Givnish, T. J. (see Volin, J. C.), 315

Gordon, D. C., Percy, K. E. & Riding, R. T., Effects of u.v.-B radiation on epicuticular wax production and chemical composition of four *Picea* species, 441

Gramss, G. & Rudeschko, O., Activities of oxidoreductase enzymes in tissue extracts and sterile root exudates of three

crop plants, and some properties of the peroxidase component, 401
Gravano, E. (see Bussotti, F.), 469
Gray, A. J. (see Raybould, A. F.), 497
Grierson, C. S. (see Ryan, E.), 49
Griffiths, H. (see Adams, P.), 171
——, (see Smith, E. C.), 213
Grossoni, P. (see Bussotti, F.), 469
Grubb, P. J., Seed mass and light-demand: the need to control for soil–type and plant stature, 169
Guillaumin, J.-J. (see Chillali, M.), 553
Haigh, J. M. (see Newton, A. C.), 619
Handley, L. L. (see Azcón-G.-Aguilar, R.), 19
Hanemann, U. (see Geßler, A.), 275
——, (see Geßler, A.), 385
Haranczyk, H., Gaździński, S. & Olech, M., Initial stages of lichen hydration observed by proton magnetic relaxation, 191
Hartung, W. (see Dietz, S.), 99
——, (see Peuke, A. D.), 675
Havill, D. C. (see Pearson, J.), 37
Heath, M. C., Involvement of reactive oxygen species in the response of resistant (hypersensitive) or susceptible cowpeas to the cowpea rust fungus, 251
Herppich, M. (see Herppich, W. B.), 433
Herppich, W. B., Herppich, M., Tüffers, A., von Willert, D. J., Midgley, G. F. & Veste, M., Photosynthetic responses to CO_2 concentration and photon fluence rates in the CAM-cycling plant *Delosperma tradescantioides* (Mesembryanthemaceae), 433
Herrera, A. (see Fernández, M. D.), 689
Herrera, C. (see Fernández, M. D.), 689
Herrmann, S., Munch, J.-C. & Buscot, F., A gnotobiotic culture system with oak microcuttings to study specific effects of mycobionts on plant morphology before, and in the early phase of, ectomycorrhiza formation by *Paxillus involutus* and *Piloderma croceum*, 203
Hodkinson, D. J. (see Thompson, K.), 163
Holfeld, H., Fungal infections of the phytoplankton: seasonality, minimal host density, and specificity in a mesotrophic lake, 507
Holopainen, T. (see Pääkkönen, E.), 295
Huang, C. X. (see McCully, M. E.), 327
Huber, C. (see Geßler, A.), 275
Janes, R., Growth and survival of *Azolla filiculoides* in Britain. I. Vegetative reproduction, 367
——, Growth and survival of *Azolla filiculoides* in Britain. II. Sexual reproduction, 377
Jauhiainen, J., Wallén, B. & Malmer, N., Potential NH_4^+ and NO_3^- uptake in seven *Sphagnum* species, 287
Jeffries, P. (see Tisserant, B.), 225
Jensen, R. G. (see Adams, P.), 171
Jeschke, W. D. (see Peuke, A. D.), 675
Kalev, N. & Aloni, R., Role of auxin and gibberellin in regenerative differentiation of tracheids in *Pinus pinea* seedlings, 461
Kangasjärvi, J. (see Pääkkönen, E.), 295
Kapulnik, Y. (see Douds, Jr. D. D.), 27
Käpylä, M. (see Pasonen, H. L.), 481
Kärenlampi, L. (see Pääkkönen, E.), 295
Kärenlampi, S. (see Pääkkönen, E.), 295
Kennedy, V. H. (see Sheppard, L. J.), 709
Kingham, K. I., Duckett, J. G., Gazdova, B., Kovarik, A., Bezdek, M. & Leitch, A. R., The role of DNA methylation on nuclear and cell differentiation in the filamentous caulonema of the moss *Funaria hygrometrica*, 567
Klein Gunnewiek, P. J. A. (see de Boer, W.), 107
Klinkhamer, P. G. L. (see de Jong, T. J.), 489
Klironomos, J. N., Ursic, M., Rillig, M. & Allen, M. F., Interspecific differences in the response of arbuscular mycorrhizal fungi to *Artemisia tridentata* grown under elevated atmospheric CO_2, 599
Kokko, H. (see Pääkkönen, E.), 295
Kovarik, A. (see Kingham, K. I.), 567
Kreutzer, K. (see Ge†ler, A.), 275
Lange, J. (see Mohr, U.), 589
Leitch, A. R. (see Kingham, K. I.), 567
Leith, I. D. (see Sheppard, L. J.), 709
Ling, L. E. C. (see McCully, M. E.), 327
Lyons, T. M. & Barnes, J. D., Influence of plant age on ozone resistance in *Plantago major*, 83
Malmer, N. (see Jauhiainen, J.), 287
Marschall, M., Proctor, M. C. F. & Smirnoff, N., Carbohydrate composition and invertase activity of the leafy liverwort *Porella platyphylla*, 343
Matthijs, H. C. P. (see (Pim) de Nobel, W. T.), 579
McCully, M. E., Huang, C. X. & Ling, L. E. C., Daily embolism and refilling of xylem vessels in the roots of field-grown maize, 327
McKenzie, B. A. (see Zerihun, A.), 1
Merryweather, J. & Fitter, A., The arbuscular mycorrhizal fungi of *Hyacinthoides non-scripta*. I. Diversity of fungal taxa, 117
——, Fitter, A., The arbuscular mycorrhizal fungi of *Hyacinthoides non-scripta*. II. Seasonal and spatial patterns of fungal populations, 131
Midgley, G. F. (see Herppich, W. B.), 433
Miller-Goodman, M. S. (see Barbo, D. N.), 653
Mohammed, C. (see Chillali, M.), 553
Mohr, U., Lange, J., Boller, T., Wiemken, A. & Vögeli-Lange, R., Plant defence genes are induced in the pathogenic interaction between bean roots and *Fusarium solani*, but not in the symbiotic interaction with the arbuscular mycorrhizal fungus *Glomus mosseae*, 589
Morton, J. D. (see Zerihun, A.), 1
Müller, J. (see Schellenbaum, L.), 59
Munch, J.-C. (see Herrmann, S.), 203
Mur, L. R. (see (Pim) de Nobel, W. T.), 579
Murray, F. (see Qiao, Z.), 13
Murray, M. B. (see Sheppard, L. J.), 709
Näsholm, T. (see Ekblad, A.), 143
Neinhuis, C. & Barthlott, W., Seasonal changes of leaf surface contamination in beech, oak, and ginkgo in relation to leaf micromorphology and wettability, 91
Nelson, D. E. (see Adams, P.), 171
Newton, A. C. & Haigh, J. M., Diversity of ectomycorrhizal fungi in Britain: a test of the species–area relationship, and the role of host specificity, 619
Nobel, P. S. (see Dubrovsky, J. G.), 75
North, G. B. (see Dubrovsky, J. G.), 75
Ojanperä, K., Pätsikkä, E. & Yläranta, T., Effects of low ozone exposure of spring wheat on net CO_2 uptake, Rubisco, leaf senescence and grain filling, 451
Olech, M. (see Haranczyk, H.), 191
Otten, W. & Gilligan, C. A., Effect of physical conditions on the spatial and temporal dynamics of the soil-borne fungal pathogen *Rhizoctonia solani*, 629
Pääkkönen, E., Seppänen, S., Holopainen, T., Kokko, H., Kärenlampi, S., Kärenlampi, L. & Kangasjärvi, J., Induction of genes for the stress proteins PR-10 and PAL in relation to growth, visible injuries and stomatal conductance in birch (*Betula pendula*) clones exposed to ozone and/or drought, 295
Pasonen, H. L. & Käpylä, M., Pollen–pollen interactions in *Betula pendula in vitro*, 481
Pätsikkä, E. (see Ojanperä, K.), 451
Pearson, J., Clough, E. C. M., Woodall, J., Havill, D. C. & Zhang, X-H., Ammonia emissions to the atmosphere from leaves of wild plants and *Hordeum vulgare* treated with methionine sulphoximine, 37
Percy, K. E. (see Gordon, D. C.), 441
Peuke, A. D., Jeschke, W. D., Dietz, K.-J., Schreiber, L. & Hartung, W., Foliar application of nitrate or ammonium as sole nitrogen supply in *Ricinus communis*. I. Carbon and nitrogen uptake and inflows, 675
Pieters, A. (see Fernández, M. D.), 689
(Pim) de Nobel, W. T., Matthijs, H. C. P., von Elert, E. & Mur, L. R., Comparison of the light-limited growth of the nitrogen-fixing cyanobacteria *Anabaena* and *Aphanizomenon*, 579
Power, A. B. (see Dodd, R. S.), 699
Power, S. A., Ashmore, M. R., Cousins, D. A. & Sheppard, L. J., Effects of nitrogen addition on the stress sensitivity of *Calluna vulgaris*, 663
Proctor, M. C. F. (see Marschall, M.), 343
Qiao, Z. & Murray, F., Improvement of the ^{15}N dilution method for estimation of absorption of NO_x by plants supplied with ^{15}N-labelled fertilizer, 13

Rafii, Z. A. (see Dodd, R. S.), 699
Raven, J. A. (see Skene, K. R.), 725, 733
Raybould, A. F., Gray, A. J. & Clarke, R. T., The long-term epidemic of *Claviceps purpurea* on *Spartina anglica* in Poole Harbour: pattern of infection, effects on seed production and the role of *Fusarium heterosporum*, 497
Reich, P. B. (see Volin, J. C.), 315
Rengifo, E. (see Fernández, M. D.), 689
Rennenberg, H. (see Geßler, A.), 275
——, (see Geßler, A.), 385
Requena, N. (see Tisserant, B.), 225
Riding, R. T. (see Gordon, D. C.), 441
Rillig, M. (see Klironomos, J. N.), 599
Roo, L. G.-D. (see de Jong, T. J.), 489
Rothe, A. (see Geßler, A.), 275
Rudeschko, O. (see Gramss, G.), 401
Ryan, E., Grierson, C. S., Cavell, A., Steer, M. & Dolan, L., *TIP1* is required for both tip growth and non-tip growth in *Arabidopsis*, 49
Sandalio, L. M. (see Corpas, F. J.), 307
Schellenbaum, L., Müller, J., Boller, T., Wiemken, A. & Schüepp, H., Effects of drought on non-mycorrhizal and mycorrhizal maize: changes in the pools of non-structural carbohydrates, in the activities of invertase and trehalase, and in the pools of amino acids and imino acids, 59
Schmidt, W. & Fühner, C., Sensitivity to and requirement for iron in *Plantago* species, 639
Schneider, S. (see Geßler, A.), 275
——, (see Geßler, A.), 385
Schreiber, L. (see Peuke, A. D.), 675
Schüepp, H. (see Schellenbaum, L.), 59
Scrimgeour, C. M. (see Azcón-G.-Aguilar, R.), 19
Seel, W. E. (see Taylor, A.), 67
Sen, R. (see Timonen, S.), 255
Seppänen, S. (see Pääkkönen, E.), 295
Sheppard, L. J. (see Power, S. A.), 663
——, Leith, I. D., Murray, M. B., Cape, J. N., Kennedy, V. H., The response of Norway spruce seedlings to simulated acid mist, 709
Skene, K. R., Raven, J. A. & Sprent, J. I., Cluster root development in *Grevillea robusta* (Proteaceae). I. Xylem, pericycle, cortex, and epidermis development in a determinate root, 725
——, Sutherland, J. M., Raven, J. A., Sprent, J. I., Cluster root development in *Grevillea robusta* (Proteaceae). II. The development of the endodermis in a determinate root and in an indeterminate, lateral root, 733
Smirnoff, N. (see Marschall, M.), 343
Smith, E. C., Griffiths, H., Wood, L. & Gillon, J., Intraspecific variation in the photosynthetic responses of cyanobiont lichens from contrasting habitats, 213
Somers, G. L. (see Barbo, D. N.), 653
Sprent, J. I. (see Skene, K. R.), 725, 733
Steer, M. (see Ryan, E.), 49
Stolte, K. (see Barbo, D. N.), 653
Sutherland, J. M. (see Skene, K. R.), 733
Tani, C. (see Bussotti, F.), 469
Taylor, A. & Seel, W. E., Do *Striga hermonthica*-induced changes in soil matric potential cause the reduction in stomatal conductance and growth of infected maize plants?, 67
Taylor, G. (see Crookshanks, M.), 241
Tezara, W. (see Fernández, M. D.), 689
Thephany, G. (see Faure, S.), 411
Thompson, K. & Hodkinson, D. J., Seed mass, habitat and life history: a re-analysis of Salisbury (1942, 1974), 163
Timonen, S. & Sen, R., Heterogeneity of fungal and plant enzyme expression in intact Scots pine—*Suillus bovinus* and —*Paxillus involutus* mycorrhizospheres developed in natural forest humus, 255
Tisserant, B., Brenac, V., Requena, N., Jeffries, P. & Dodd, J. C., The detection of *Glomus* spp. (arbuscular mycorrhizal fungi) forming mycorrhizas in three plants, at different stages of seedling development, using mycorrhiza-specific isozymes, 225
Toro, M., Azcón, R. & Barea, J. M., The use of isotopic dilution techniques to evaluate the interactive effects of *Rhizobium* genotype, mycorrhizal fungi, phosphate-solubilizing rhizobacteria and rock phosphate on nitrogen and phosphorus acquisition by *Medicago sativa*, 265
Trelease, R. N. (see Corpas, F. J.), 307
Tüffers, A. (see Herppich, W. B.), 433
Ursic, M. (see Klironomos, J. N.), 599
Veste, M. (see Herppich, W. B.), 433
Vögeli-Lange, R. (see Mohr, U.), 589
Volin, J. C., Reich, P. B. & Givnish, T. J., Elevated carbon dioxide ameliorates the effects of ozone on photosynthesis and growth: species respond similarly regardless of photosynthetic pathway or plant functional group, 315
von Elert, E. (see (Pim) de Nobel, W. T.), 579
von Sengbusch, D. (see Geßler, A.), 275
von Willert, D. J. (see Herppich, W. B.), 433
Wallander, H. (see Ekblad, A.), 143
Wallén, B. (see Jauhiainen, J.), 287
Weber, P. (see Geßler, A.), 275
——, (see Geßler, A.), 385
Wells, J. M., Boddy, L. & Donnelly, D. P., Wood decay and phosphorus translocation by the cord-forming basidiomycete *Phanerochaete velutina*: the significance of local nutrient supply, 607
Wiemken, A. (see Schellenbaum, L.), 59
——, (see Mohr, U.), 589
Wipf, D. (see Chillali, M.), 553
Woldendorp, J. W. (see de Boer, W.), 107
Wood, L. (see Smith, E. C.), 213
Woodall, J. (see Pearson, J.), 37
Yamada, S. (see Adams, P.), 171
Yläranta, T. (see Ojanperä, K.), 451
Zerihun, A., McKenzie, B. A. & Morton, J. D., Photosynthate costs associated with the utilization of different nitrogen-forms: influence on the carbon balance of plants and shoot–root biomass partitioning, 1
Zhang, X-H. (see Pearson, J.), 37

Subject Index

Abscisic acid, 99
Acaulospora, 131
Acclimation, 83, 315
Acid mist, 709
Acid phosphatase, 255
Adaptation, 639
Agropyron smithii Rybd., 315
Air pollution, 315
Alkaline phosphatase, 225
AM fungi, 37
Amino acids, 275, 385
Ammonia, 287
Ammonia emissions, 37
Ammonium, 385, 675
Ammonium uptake, 275
Ammophila arenario (L.) Link, 107
Antagonism, 107
Anthyllis cytisoides L., 225
Antioxidants, 419
Apoplastic pH, 37
Arabidopsis, 49
Arbuscular mycorrhiza, 19, 59, 117, 131, 265, 589, 599
Arbuscular mycorrhizal fungi, 411
Armillaria, 553
Artemisia tridentata Nutt., 599
Austrocedrus chilensis (D. Don) Pic.-Ser. & Bizz., 699
Azolla filiculoides Lam., 367, 377
Bauhinia multinervia (H.B.K.) DC., 689
Beech, 91
Betula pendula Roth (silver birch), 295, 481, 543
Biological species, 553
Biomass partitioning, 1
Bouteloua curtipendula Michx., 315
Bryophyta, 343, 567
Calluna vulgaris (L.) Hull, 663
CAM induction, 171
CAM-cycling, 433
Carbon, 675
Carbon isotope discrimination, 213
Carbon-concentrating mechanism, 213
Cavitation, 327
Cell division, 75
Cell fate, 725
Cell growth, 49
Chitin, 143
Chloroplasts, 451
Chytridiales, 507
Claviceps purpurea (Fr.) Tul, 497
Clones, 295
Cluster roots, 733
Cold CO_2 springs, 689
Commensalism, 497
Competition, 579
Congeners, 163
Cotton, 307
Crassulacean acid metabolism, 433
Cryo-analytic microscopy, 327
Cucumber, 307
Cuticular waxes, 699
Cyanobacteria, 579
Cyanobiont, 213
Cynoglossum officinale L., 489
Delosperma tradescantioides Bgr., 433
Desertified ecosystem, 225
Desiccation, 191, 343
Determinate growth, 725
Development, 83, 171, 567
Direct sequencing, 553
Diversity, 599, 619
DNA condensation, 567
DNA methylation, 567
Drought, 59, 295, 663, 689
Dune soils, 107
Ecological genetics, 699
Ecology, 287, 653
Ecosystem structure, 653
Ectomycorrhiza, 143, 203, 255, 533, 619
Elevated CO_2, 241, 599
Elicitor, 251
Elongation zone, 75
Embolism, 327
Endodermis, 733
Environmental stress, 469
Epicuticular wax, 441
Epidemics, 507
Epidermis, 469
Ergosterol, 143
Estimation of NO_3 absorption, 13
Extramatrical mycelium, 255
Fagus sylvatica L. (beech), 469
Foliar application, 675
Foliar uptake, 37
Fractals, 519
Fraxinus excelsior L., 241
Frost hardiness, 663, 709
Fructan, 343
Fungal biomass, 143
Fungal diversity, 117
Fungal spread, 629
Fungi, 507
Fusarium heterosporum, 497
Fusarium solani (Mart.) Sacc., 589
Gas chromatography, 699
Ginkgo, 91
Glomus, 131
Glomus mosseae (Nicol. & Gerd.) Gerdemann & Trappe, 589
Glucosamine, 143
Glutamine synthetase, 37
GMO, 265
Gravimetry, 191
Grevillea robusta A. Cunn. ex R. Br., 725, 733
Growth, 171
Habitat requirement, 639
Heather beetles, 663
Hexoses, 59
Histochemistry, 469
Hordeum, 19
Host specificity, 619
HPLC, 143
Hyacinthoides non-scripta (L.) Chouard ex Rothm. (bluebell), 117, 131
Hydrocarbons, 699
Hyperparasite, 497
Hypersensitive response, 251
Hypersensitivity-like response, 27
Initiation of flowering, 489
Internal transcribed spacer, 553
Introduced fern, 367, 377
Invertase, 343
Ion uptake, 287
Iron deficiency and tolerance, 639
ITS sequences, 151
ITS–RFLP, 151
1-kestose, 343
Koeleria cristata L., 315
Lactuca, 19
Lateral roots, 75, 733
Leaf surface contamination, 91
Leaves, 469

Lichens, 99, 191, 213
Life history, 163
Life history theory, 489
Light limitation, 579
Ligninolysis, 401
Lolium perenne L., 411
Lotus effect, 91
Maize, 59, 67
Matric potential, 67
Mercurialis perennis, 37
Meristem, 75, 725
Mesembryanthemum crystallinum L., 171
Metabolic changes, 543
Microheterogeneous system, 191
Mitochondria, 307
Monoclonal antibody-based ELISA, 629
Mycelial cords, 607
Mycelial morphology, 519
Mycorrhizas, 543
Mycorrhiza-specific isozymes, 225
^{15}N, 265, 411
N composition, 385
N cycling, 385
^{15}N dilution method, 13
^{15}N natural abundance, 19
Native plants, 653
Nitrate, 287, 385, 675
Nitrate to ammonium ratio, 275
Nitrate uptake, 275
Nitrogen, 675, 709
Nitrogen and carbon metabolism, 543
Nitrogen assimilation, 411
Nitrogen deposition, 663
Nitrogen fixation, 579
Nitrogen-form and assimilation, 1
^{15}N-labelled fertilizer, 13
Non-systemic floral pathogen, 497
Norway spruce (*Picea abies* (L.) Karst), 709
Oak, 91
Open-top chambers, 241, 451
Overwintering, 367, 377
Oxidative burst, 251
Oxidoreductases, 401
Ozone, 83, 295, 419, 653
^{32}P, 265
Parasitic angiosperm, 67
Parasitism, 507
Paxillus involutus (Batsch) Fr., 203, 543
Peroxidase, 255
Peroxisomes, 307
PGPR, 265
Phanerochaete velutina DC.: (Pers.) Parmasto, 519, 607
Phaseolus vulgaris L. (common bean), 1, 589
Phenolics, 469
Phloem exudate, 385
Phloem transport, 675
Phosphate-solubilizing bacteria, 265
Phosphorus, 607
Photoprotection, 433
Photorespiration, 433
Photosynthate cost, 1
Photosynthesis, 213
Photosynthetic electron flow, 433
Phylogeny, 163, 553
Phytohormones (auxin, gibberellin), 461
Phytoplankton, 507
Picea (spruce), 441
Pigments, 419
Piloderma croceum J. Erikss & Hjortst., 203
Pinus halepensis Mill. (Aleppo pine), 419
Pinus pinea L. (pine), 461
Pinus sylvestris L., 241
Pisolithus microcarpus (Cke. and Mass.) Cunn., RAPD, 151
Pisolithus tinctorius (Pers.) Coker and Couch, 151
Plant age, 83
Plant community, 653
Plant defence, 589
Plant morphogenesis, 203
Plant tissue, 401
Plantago, 639
Plantago major L., 83
Plasticity, 489
Polarity, 567
Pollen competition, 481
Pollen interactions, 481
Pollen population effect, 481
Pollen tubes, 49
Polyphenoloxidase, 255
Population patterns, 131
Population structure, 533
Populus tremuloides Michx., 315
Programmed cell death, 251
Proteaceae, 725, 733
Protein synthesis and turnover, 1
Proton NMR, 191
PSI:PSII stoichiometry, 579
Quercus petraea L., 241
Quercus robur L., 203
Quercus rubra L., 315
Relative growth rate, 315, 639
Rhizobium, 265
Rhizoctonia solani Kühn, 629
Ribosomal DNA, 151, 553
Ricinus communis L., 675
Rock phosphate, 265
Root exudate, 401
Root growth, 241
Root hairs, 49
Root pressure, 327
Root primordia, 75
Roots, 385
Rust fungi, 251
Salt stress, 171
Saprotrophic basidiomycete, 607
Schizachyrium scoparium Michx., 315
Sclerophylly, 469
Scutellospora, 131
Seed production, 497
Seed size, 163
Shade, 163
Soil nutrient enrichment, 519
Soil physical conditions, 629
Soil temperature, 275
Spartina anglica C. E. Hubb, 497
Spatiphylum cannifolium (Dryand.) Schott, 689
Species–area relationship, 619
Specificity, 27
Sphagnum, 287
Sporocarp, 377
SSCP, 533
Stomatal conductance, 67
Stress proteins, 295
Striga hermonthica (witchweed), 67
Stropharia caerulea (Kriesel), 519
Sucrose, 343
Suillus pungens Thiers & Smith, 533
Sulphate, 709
Sulphydryl groups, 451
Sunflower, 307
Superoxide dismutase, 307
Suppressiveness, 107
Tannins, 469
Temperature, 367, 377
Temperature sensitivity, 567
Tracheid differentiation, 461
Translocation, 607
Transmission electron microscopy, 469
Transpiration, 327
Trehalose, 59
Triticum aestivum L., 451
Tropical forest, 689
u.v.-B, 441

Vernalization, 489
Vessel refilling, 327
Water relations, 99
Water stress, 343
Water uptake, 75
Water use, 67
Wax composition, 441
Wood decay, 607
Xanthophylls, 419
Xylem (regeneration, evolution), 461
Xylem sap, 385
Xylem transport, 675
Xylem vessel embolisms, 327
Zea mays L. (maize), 327